


**DRAFT**

**EXHIBIT A**

Metes and Bounds Description



Note:  
 This drawing is a graphic compilation of information from recorded deeds and in no way represents a survey on the ground. This product may only be used in conjunction with establishing a development agreement with the City of Dripping Springs, obtaining a Utility Agreement for water and/or wastewater service with the City of Dripping Springs and /or West Travis County PUA, creating a Utility District, and obtaining a Water and/or Sewer CCN.



EXHIBIT A  
 1677.61 Ac.

	<b>STAUDT SURVEYING, INC.</b> Thomas E. Staudt RPLS # 3984 Firm Reg. # 10091700 P.O. Box 1273 Dripping Springs, Texas 78620 (512) 858-2238	<b>RECORD DRAWING OF</b> <b>ANALENE INVESTMENTS, LTD. PROPERTIES</b> <b>DOUBLE L RANCH BOUNDARY</b> OUT OF THE A. G. DART SURVEY NO. 24, A-M, MARCUS S. HAYES SURVEY NO. 27, A-204, E. W. BROWN SURVEY NO. 286, A-44 & G. V. LINDSAY SURVEY, NO. 156, A-383 HAYS COUNTY, TEXAS
	Date: MARCH 3, 2014 Dr. By: SMS Job #: 14035 DWG #: HILL PROP	

**Note: Need remaining additional  
29.78 acres legal description.**

STATE OF TEXAS  
COUNTY OF HAYS

CALLED 1647.83 ACRES  
DOUBLE L RANCH WSC  
CCN BOUNDARY

#### DESCRIPTION

DESCRIPTION OF EIGHT (8) PARCELS OF LAND (1) CALLED TO BE 1051.23 ACRES OF LAND OUT OF THE ANTHONY G. DAVY SURVEY NO. 38, A-148, THE MARCUS D. RAPER SURVEY NO. 37, A-394, AND THE EDWARD W. BROWN SURVEY NO. 136, A-44, DESCRIBED IN A DEED TO ANARENE INVESTMENTS, LTD., OF RECORD IN VOLUME 2639, PAGE 410, OF THE OFFICIAL PUBLIC RECORDS OF HAYS COUNTY TEXAS, (2) CALLED TO BE 206.2 ACRES OF LAND OUT OF THE EDWARD W. BROWN SURVEY NO. 136, A-44, AND THE PHILIP A. SMITH SURVEY NO. 26, A-415, DESCRIBED IN A DEED TO ANARENE INVESTMENTS, LTD., OF RECORD IN VOLUME 2639, PAGE 403, OF THE OFFICIAL PUBLIC RECORDS OF HAYS COUNTY, TEXAS, (3) CALLED TO BE 139.16 ACRES OUT OF THE ANTHONY G. DAVY SURVEY NO. 38, A-148, DESCRIBED AS TRACT 1, (4) CALLED TO BE 11.02 ACRES OUT OF THE ANTHONY G. DAVY SURVEY NO. 39, A-148, DESCRIBED AS TRACT 2, (5) CALLED TO BE 11.00 ACRES OUT OF THE ANTHONY G. DAVY SURVEY NO. 38, A-148, DESCRIBED AS TRACT 3, (6) CALLED TO BE 11.05 ACRES OUT OF THE ANTHONY G. DAVY SURVEY NO. 38, A-148, DESCRIBED AS TRACT 4, (7) CALLED TO BE 226.11 ACRES OUT OF THE EDWARD W. BROWN SURVEY NO. 136, A-44, DESCRIBED AS TRACT 5, SAVE AND EXCEPT 25.7398 ACRES DESCRIBED IN A DEED TO THE CITY OF DRIPPING SPRINGS, OF RECORD IN VOLUME 4467, PAGE 508, OF THE OFFICIAL PUBLIC RECORDS OF HAYS COUNTY, TEXAS, AND (8) CALLED TO BE 17.80 ACRES OUT OF THE GEORGE W. LINDSEY SURVEY NO. 138, A-280, AND THE EDWARD W. BROWN SURVEY NO. 136, A-44, (3-8) ALL DESCRIBED IN A DEED TO ANARENE INVESTMENTS, LTD., OF RECORD IN VOLUME 2639, PAGE 420, OF THE OFFICIAL PUBLIC RECORDS OF HAYS COUNTY, TEXAS. THE FOLLOWING DESCRIPTION IS A COMPILATION OF INFORMATION FROM THE ABOVE MENTIONED DEEDS OF RECORD AND IN NO WAY REPRESENTS A SURVEY ON THE GROUND.

BEGINNING in the easterly right-of-way of Ranch Road 12, at the northwest corner of said 1051.23 acre tract;

THENCE, with the northerly and easterly lines of said 1051.23 acre tract the following twenty-five (25) courses:

- 1) N 84° 54' 13" E, 41.10 feet;
- 2) S 54° 58' 12" E, 349.54 feet;
- 3) S 46° 30' 30" E, 373.94 feet;
- 4) S 75° 31' 52" E, 280.39 feet;
- 5) S 87° 28' 36" E, 509.18 feet;
- 6) N 70° 52' 58" E, 436.06 feet;
- 7) N 74° 15' 19" E, 335.56 feet;
- 8) S 60° 04' 22" E, 195.80 feet;
- 9) S 28° 26' 22" E, 244.50 feet;

- 10) S 01° 37' 38" W, 503.50 feet;
- 11) S 16° 09' 38" W, 587.50 feet;
- 12) S 34° 41' 38" W, 697.70 feet;
- 13) S 09° 57' 38" W, 414.80 feet;
- 14) S 20° 16' 22" E, 327.40 feet;
- 15) S 37° 29' 22" E, 126.60 feet;
- 16) S 54° 33' 38" W, 280.20 feet;
- 17) S 62° 30' 22" E, 466.67 feet;
- 18) S 58° 21' 22" E, 511.36 feet;
- 19) S 27° 42' 18" W, 4426.48 feet;
- 20) S 28° 10' 17" W, 681.80 feet;
- 21) S 74° 11' 39" W, 55.56 feet;
- 22) N 84° 50' 56" W, 102.00 feet;
- 23) S 84° 06' 42" W, 231.74 feet;
- 24) S 63° 17' 48" W, 345.25 feet;
- 25) S 28° 25' 33" W, 932.33 feet to a point in the north line of said 206.2 acre tract;

THENCE, with the north line of said 206.2 acre tract the following three (3) courses:

- 1) S 88° 04' 36" E, 289.83 feet;
- 2) N 87° 27' 18" E, 140.37 feet;
- 3) S 86° 01' 32" W, 184.97 feet to the northeast corner of said 206.2 acre tract;

THENCE, with the east line of said 206.2 acre tract the following fifteen (15) courses:

- 1) S 24° 30' 16" E, 46.65 feet;
- 2) S 15° 29' 56" E, 280.55 feet;
- 3) S 15° 36' 02" E, 182.44 feet;
- 4) S 06° 30' 37" W, 104.00 feet;
- 5) S 02° 19' 28" E, 55.08 feet;
- 6) S 14° 50' 58" W, 71.24 feet;
- 7) S 07° 20' 07" W, 154.45 feet;
- 8) S 07° 07' 05" W, 263.18 feet;
- 9) S 17° 20' 44" W, 196.99 feet;
- 10) S 01° 55' 39" W 330.60 feet;
- 11) S 01° 28' 16" W, 273.89 feet;
- 12) S 04° 26' 22" E, 42.77 feet;
- 13) S 00° 29' 14" E 238.72 feet;
- 14) S 00° 26' 31" W, 353.54 feet;
- 15) S 01° 05' 28" W, 706.28 feet to the southeast corner of said 206.2 acre tract;

THENCE, with the south line of said 206.28 acre tract, the following three (3) courses:

- 1) N 87° 23' W, 482.22 feet;
- 2) N 84° 43' W, 425.43 feet;
- 3) N 84° 47' W, 587.97 feet to the southwest corner of said 206.2 acre tract;

THENCE, with the westerly line of said 206.2 acre tract, the following four (4) courses:

- 1) N 35° 19' 20" W, 1263.76 feet;

- 2) N 41° 23' 11" W, 1696.56 feet;
- 3) N 41° 43' 03" W, 764.40 feet;
- 4) N 41° 16' 40" W, 437.00 feet to a point in the south line of said 1051.23 acre tract at the northwest corner of said 206.2 acre tract;

THENCE, S 88° 07' 17" W, approximately 443.3 feet (calculated) to the most southerly southwest corner of said 1051.23 acre tract;

THENCE, with a westerly line of said 1051.23 acre tract, the following nine (9) courses:

- 1) N 03° 04' 29" W, 631.00 feet;
- 2) N 74° 12' 57" E, 295.30 feet;
- 3) N 64° 28' 29" E, 427.51 feet;
- 4) N 02° 32' 52" E 669.83 feet;
- 5) N 86° 13' 48" W, 349.56 feet;
- 6) N 03° 46' 12" E, 50.00 feet;
- 7) N 86° 13' 48" W, 120.00 feet;
- 8) N 03° 46' 12" E, 40.00 feet;
- 9) N 86° 13' 48" W, 418.83 feet to a point in the west right-of-way line of said Ranch Road 12, at the most westerly southwest corner of said 1051.23 acre tract;

THENCE, S 26° 09' 19" W, across said Ranch Road 12, 456.1 feet (calculated), to the southeast corner of said 226.11 acre tract;

THENCE, N 27° 34' W, with the south line of said 226.11 acre tract, 325.2 feet (calculated) to the southeast corner of said 25.7398 acre tract out of said 226.11 acre tract;

THENCE, N 14° 36' 32" E, with the easterly line of said 25.7398 acre tract, 1469.96 feet;

THENCE, N 49° 13' 13" W, with the northerly line of said 25.7398 acre tract, 598.82 feet;

THENCE, S 45° 59' 39" W, with the westerly line of said 25.7398 acre tract, 1153.28 feet to a point in the south line of said 226.11 acre tract, at the southwest corner of said 25.7398 acre tract;

THENCE, N 46° 16' W, with the southerly line of said 226.11 acre tract, 4567.50 feet to the southwest corner of said 226.11 acre tract;

THENCE, with the west line of said 226.11 acre tract, the following five (5) courses:

- 1) N 00° 25' W, 453.14 feet;
- 2) N 00° 31' W 460.69 feet;
- 3) N 00° 13' W, 335.96 feet;
- 4) N 00° 10' W, 332.87 feet;
- 5) N 00° 02' E, 70.40 feet to the northwest corner of said 226.11 acre tract;

THENCE, S 60° 00' E, with the northerly line of said 226.11 acre tract, 4804.0 feet (calculated) to the southwest corner of said 17.80 acre tract;

THENCE, with the westerly line of said 17.80 acre tract, the following three (3) courses:

- 1) N 29° 48' E, 406.76 feet;
- 2) N 62° 27' W, 425.33 feet;
- 3) N 29° 48' E, 385.15 feet passing the southerly right-of-way line of a 50 foot roadway easement, and continuing for a total distance of 410.34 feet to a point in the centerline of said roadway easement at the northwest corner of said 17.80 acre tract;

THENCE, with the centerline of said right-of-way easement, the following five (5) courses:

- 1) S 67° 33' E, 21.40 feet;
- 2) A curve to the left having an arc distance of 192.52 feet, the chord of which bears S 86° 40' E, 188.97 feet;
- 3) N 74° 13' E, 544.89 feet;
- 4) A curve to the right having an arc distance of 192.03 feet, the chord of which bears S 86° 04' E, 188.26 feet;
- 5) S 66° 20' E, 109.07 feet to a point in the westerly right-of-way line of said Ranch Road 12, at the northeast corner of said 17.80 acre tract;

THENCE, with the westerly right-of-way line of said Ranch Road 12, a curve to the right having a radius of 1959.86 feet, an arc distance of 511.4 feet, and a chord which bears N 36° 06' 22" E, 510.0 feet (calculated) to the most southerly corner of said 11.05 acre tract;

THENCE, with the westerly line of said 11.05 acre tract, said 11.00 acre tract, and said 11.02 acre tract, the following four (4) courses:

- 1) N 04° 48' W, 327.50 feet;
- 2) N 41° 55' E, 114.00 feet;
- 3) S 75° 06' E, 117.50 feet;
- 4) N 09° 37' W, at 852.55 feet passing the northwesterly corner of said 11.05 acre tract, same being the southwest corner of said 11.00 acre tract, at 1402.67 feet, passing the northwesterly corner of said 11.00 acre tract, same being the southwest corner of said 11.02 acre tract, and continuing for a total distance of 1833.86 feet to the northwesterly corner of said 11.02 acre tract;

THENCE, S 58° 44' E, with the northerly line of said 11.02 acre tract, 1614.18 feet to a point in the westerly right-of-way line of said Ranch Road 12, at the northeasterly corner of said 11.02 acre tract;

THENCE, N 29° 01' 42" E, with the westerly right-of-way line of said Ranch Road 12, 1614.9 feet (calculated) to the most easterly southeast corner of said 139.16 acre tract;

THENCE, N 58° 44' W, with the easterly south line of said 139.16 acre tract, 600.00 feet to an ell corner of said 139.16 acre tract;

THENCE, with an easterly line of said 139.16 acre tract, the following four (4) courses:

- 1) S 31° 16' W, 446.38 feet;
- 2) S 39° 56' W, 156.68 feet;

- 3) S 08° 04' E, 37.25 feet;
- 4) S 31° 16' W, 469.92 feet to the most southerly southeast corner of said 139.16 acre tract;

THENCE, N 58° 44' W, with the westerly south line of said 139.16 acre tract, 1466.48 feet to the most southerly southwest corner of said 139.16 acre tract;

THENCE, with the westerly line of said 139.16 acre tract, the following four (4) courses:

- 1) N 09° 36' W, 910.69 feet;
- 2) N 29° 46' E, 541.97 feet;
- 3) N 29° 51' E, 867.20 feet;
- 4) N 29° 58' E, 537.44 feet to the northwest corner of said 139.16 acre tract;


THENCE, with the northerly line of said 139.16 acre tract, the following thirteen (13) courses:

- 1) S 42° 30' E, 225.80 feet;
- 2) S 17° 52' E, 395.01 feet;
- 3) S 37° 43' E, 432.07 feet;
- 4) S 57° 56' E, 741.70 feet;
- 5) S 41° 58' E, 328.55 feet;
- 6) S 59° 20' E, 143.73 feet;
- 7) S 88° 59' E, 220.97 feet;
- 8) N 74° 41' E, 139.23 feet;
- 9) S 70° 49' E, 284.34 feet;
- 10) S 52° 43' E, 247.45 feet;
- 11) S 68° 29' E, 358.25 feet;
- 12) N 51° 55' E, 134.38 feet;
- 13) S 58° 25' E, 379.90 feet to a point in the westerly right-of-way line of said Ranch Road 12, at the northeast corner of said 139.16 acre tract;

THENCE, S 56° 03' 31" E, across said Ranch Road 12, 137.2 feet (calculated), to the POINT OF BEGINNING. THE BEARINGS AND DISTANCES SHOWN HEREON ARE THOSE OF THE RECORDED DEEDS AND MAY NOT REPRESENT A CLOSED FIGURE. THIS PRODUCT MAY ONLY BE USED IN CONJUNCTION WITH ESTABLISHING A DEVELOPMENT AGREEMENT WITH THE CITY OF DRIPPING SPRINGS, OBTAINING A UTILITY AGREEMENT FOR WATER AND/OR WASTEWATER SERVICE WITH THE CITY OF DRIPPING SPRINGS AND/OR WEST TRAVIS COUNTY PUA, CREATING A UTILITY DISTRICT, AND OBTAINING A WATER AND/OR SEWER CNN.

Description accompanied by drawing.


Prepared by: Staudt Surveying, Inc.  
 P.O. Box 1273  
 Dripping Springs, Texas 78620  
 512-858-2236  
 Firm Reg. No. 10091700



*T E Staudt*

*3/3/14*  
 \_\_\_\_\_  
 Date

Thomas E. Staudt Registered Professional Land Surveyor No. 3984



Note:  
 This drawing is a graphic compilation of information from recorded deeds and in no way represents a survey on the ground. This product may only be used in conjunction with establishing a development agreement with the City of Dripping Springs, obtaining a Utility Agreement for water and/or wastewater service with the City of Dripping Springs and /or West Travis County PUA, creating a Utility District, and obtaining a Water and/or Sewer CCN.



1647.83 Ac.


	<b>STAUDT SURVEYING, INC.</b> Thomas E. Staudt RPLS # 3984 Firm Reg. # 10061700 P.O. Box 1273 Dripping Springs, Texas 78620 (817)259-2238	UNDEVELOPED INTERESTS OF <b>ANALENE INVESTMENTS, LTD. PROPERTIES</b> <b>DOUBLE L RANCH WSC CANN BOUNDARY</b> DIV. OF W.S. A. G. BART SURVEY NO. 22, A-14, HANCOCK & HANCOCK SURVEY NO. 27, A-204, R. T. HANCOCK SURVEY NO. 28, A-44 & G. V. LORREY SURVEY, NO. 28, A-250 HAYS COUNTY, TEXAS
	Date: MARCH 3, 2014 Dr. By: SWS Job # 14038 DWG # HILL PROP	Scale: 1" = 400'



**DRAFT**

**EXHIBIT B**


Parkland Dedication Parcel



PARKLAND DEDICATION  
PARCEL



**EXHIBIT B**  
**DRAFT**  
10.2.14




**DRAFT**

**EXHIBIT C**

Existing Conditions/ Topography






Color	Layer
Yellow	SLOPE -VERY SLIGHT
Light Orange	SLOPE -SLIGHT
Orange	SLOPE -MODERATE
Dark Orange	SLOPE -SEVERE
Red	SLOPE -VERY SEVERE

Legend	Range Beg.	Range End	Percent	Area
Yellow	0.00	8.00	81.3	59609670.23
Light Orange	8.00	15.00	13.0	9548315.99
Orange	15.00	25.00	4.1	3040606.34
Dark Orange	25.00	35.00	1.0	724970.69
Red	35.00	100.00	0.5	401559.76

- LEGEND:**
- Hill Top/ High Point
  - CODS Setback
  - Floodplain

EXISTING CONDITIONS/  
TOPOGRAPHY




**EXHIBIT C**  
**DRAFT**  
10.2.14



**DRAFT**  
**EXHIBIT D**  
Conceptual Plan





**LAND USE SUMMARY**

Commercial/Retail.....	±83.55 Ac.
Employment Business Center.....	±155.88 Ac.
Mixed-Use Community Center.....	±64.19 Ac.
Mixed-Use Residential.....	±138.49 Ac.
Single Family.....	±692.11 Ac.
Single Family Estate.....	±156.62 Ac.
<b>Development Parcel Total</b>	<b>±1,290.84 Ac.</b>
Proposed Roads	±67.41 Ac.
Open Space	±244.56 Ac.
Floodplain	±74.80 Ac.
<b>Total</b>	<b>±1,677.61 Ac.</b>


**GENERAL NOTES:**

- 1) This plan is conceptual in nature and subject to change.
- 2) Proposed land uses may be revised and/or transferred to other portions of this conceptual plan.
- 3) Roadway stub outs have been provided except where topographic or land ownership constraints prohibit connectivity to other parcels.
- 4) Water quality buffer zones indicated by dashed lines may be altered in accordance with the development agreement.

**LEGEND:**

- - - - - Water Quality Buffer Zone
- - - - - Floodplain
- - - - - Fish & Wildlife Buffer
- - - - - Proposed Citywide Neighborhood Trails (Oct. 9, 2012)

**CONCEPTUAL MASTER PLAN**



**EXHIBIT D**  
**DRAFT**  
**10.2.14**

THE BOUNDARY USED FOR THIS ANALYSIS IS APPROXIMATE



**DRAFT**  
**EXHIBIT E**

Variances and Exceptions

**DRAFT  
EXHIBIT E**  
October 2, 2014

EXHIBIT C - LIST OF VARIANCES & ALTERNATIVE STANDARDS					
#	Ordinance	Description	Requirement	Requested Variance	Justification
<i>Chapter 22, Water Quality Protection</i>					
1	22.05.016(a)(2)	Maximum Impervious Cover	Sets maximum impervious cover for site development plans within the Edwards Aquifer contributing zone and the ETJ to 35%	Maximum impervious cover for individual Multi-Family or Commercial site development plans within the Edwards Aquifer contributing zone and the ETJ will be 70%	Overall project impervious cover to be 35% maximum.
<i>Chapter 23, Zoning</i>					
2	3.11.4(a),(2)&(3)	Lot Widths and Depths	Width = 100' Depth = 150'	For Residential Use: Width = 50' Depth = 120'	For Residential Use: Width = 50' Depth = 120'
<i>Chapter 28, Subdivisions and Site Development</i>					
3	(Exhibit A), 11.21.1	Residential block lengths	Shall not exceed one thousand two hundred (1,200) feet between centerlines of street intersections	Shall not exceed three thousand (3,000) feet between centerlines of street intersections as per Conceptual Plan due to topography	To respond to topographic conditions.
4	(Exhibit A), 14.6	Minimum Lot Sizes	For lots using surface water and public wastewater system is 0.75 acres	For lots using surface water and public wastewater system is 6,000 square feet	To have the ability to respond to evolving and diversified housing market. To provide a variety of housing types with variety of lot sizes.
<i>TCSS</i>					
5	Section 2.3.2, Hays Cnty Dev. Regs Table 721.02	Minimum Centerline Radius	Urbanized Local = 200 feet Minor Collector = 375 feet Major Collector = 675 feet Minor Arterial = 975 feet	Urbanized Local = 180 feet Minor Collector = 300 feet Major Collector = 500 feet Minor Arterial = 500 feet	Complies with AASHTO standards relative to proposed design speeds. Preserves natural character by minimizing impacts to existing topography.
6	Section 2.3.2, Hays Cnty Dev. Regs Table 721.02	Minimum Tangent Length	Major Collector = 300 feet Minor Arterial = 500 feet	Major Collector = 150 feet Minor Arterial = 200 feet	Complies relative to proposed design speed.



**DRAFT**  
**EXHIBIT F**  
Approved Plant List

## EXHIBIT F

### Approved Plant List

For landscaping, developer, builders, and home owners will follow guidelines as specified for Western Zone, Edwards Plateau in ***Native and Adapted Landscape Plants an earthwise guide for Central Texas Fifth Edition, 2013*** published by Texas A&M Agrilife Extension, City of Austin, and growgreen.org (commonly referred to as Austin Grow Green booklet). Any plant listed as invasive on page 53 of Austin Grow Green Fifth Edition is prohibited from use.